

CITS eHealth1

E-ARK Content Information Type Specification for Patient Medical Records



The European Commission eArchiving procurement recognizes the E-ARK specifications as the eArchiving specifications which are funded under the eArchiving Common Services Platform Agreement No. LC-01905904-CNECT/LUX/2021/OP/0077.

This specification is published, supported, and developed by the Digital Information LifeCycle Interoperability Standards (DILCIS) Board under the auspices of the DLM Forum.



This specification is maintained by Digital Information LifeCycle Interoperability Standards Board and is licensed under CC BY 4.0



This specification was previously developed with the support of the European Union:

E-ARK Grant No: 620998 CIP-ICT-PSP.2013.2.5
E-ARK4ALL Agreement No. LC-00921441 CEF-TC-2018-15
E-ARK3 Agreement No. LC-01390244 CEF-TC-2019-3

1 Preface

1.1 Aim of the specification

This E-ARK specification is part of a family of specifications that provide a common set of requirements for packaging digital information. These specifications are based on common, international standards for transmitting, describing and preserving digital data. They have been produced to help data creators, software developers and digital archives tackle the challenge of short-, medium- and long-term data management and reuse in a sustainable, authentic, cost-efficient, manageable and interoperable way.

The foundation for these specifications is the Reference Model for an Open Archival Information System (OAIS) which has Information Packages at its core. Familiarity with the core functional entities of OAIS is a prerequisite for understanding the specifications. A visualisation of the current specification network can be seen here:




Figure 1: E-ARK specification dependency hierarchy

Table 1: Specification hierarchy aims and goals

Specification	Aim and Goals
Common Specification for Information Packages	<p>This document introduces the concept of a Common Specification for Information Packages (CSIP). Its three main purposes are to:</p> <ul style="list-style-type: none"> • Establish a common understanding of the requirements which need to be met in order to achieve interoperability of Information Packages. • Establish a common base for the development of more specific Information Package definitions and tools within the digital preservation community. • Propose the details of an XML-based implementation of the requirements using, to the largest possible extent, standards which are widely used in international digital preservation.

Specification	Aim and Goals
	Ultimately the goal of the Common Specification is to reach a level of interoperability between all Information Packages so that tools implementing the Common Specification can be adopted by institutions without the need for further modifications or adaptations.
E-ARK SIP	<p>The main aims of this specification are to:</p> <ul style="list-style-type: none"> • Define a general structure for a Submission Information Package format suitable for a wide variety of archival scenarios, e.g. document and image collections, databases or geographical data. • Enhance interoperability between Producers and Archives. • Recommend best practices regarding metadata, content and structure of Submission Information Packages.
E-ARK AIP	<p>The main aims of this specification are to:</p> <ul style="list-style-type: none"> • Define a generic structure of the AIP format suitable for a wide variety of data types, such as document and image collections, archival records, databases or geographical data. • Recommend a set of metadata related to the structural and the preservation aspects of the AIP as implemented by the reference implementation eArchiving ToolBox (formerly earkweb). • Ensure the format is suitable to store large quantities of data.
E-ARK DIP	<p>The main aims of this specification are to:</p> <ul style="list-style-type: none"> • Define a generic structure of the DIP format suitable for a wide variety of archival records, such as document and image collections, databases or geographical data. • Recommend a set of metadata related to the structural and access aspects of the DIP.
Content Information Type Specifications	<p>The main aim and goal of a Content Information Type Specification is to:</p> <ul style="list-style-type: none"> • Define, in technical terms, how data and metadata must be formatted and placed within a CSIP Information Package in order to achieve interoperability in exchanging specific Content Information. <p>The number of possible Content Information Type Specifications is unlimited.</p>

1.2 Organisational support

This specification is maintained by the Digital Information LifeCycle Interoperability Standards Board (DILCIS Board, <http://dilcis.eu/>). The role of the DILCIS Board is to enhance and maintain the draft specifications developed in the European Archival Records and Knowledge Preservation Project (E-ARK project, <http://eak-project.com/>), which concluded in January 2017. The Board consists of eight members, but no restriction is placed on the number of participants taking part in the work. All Board documents and specifications are stored in GitHub (<https://github.com/DILCISBoard/>), while published versions are made available on the Board webpage. The DILCIS Board have been responsible for providing the core specifications to the Connecting Europe Facility eArchiving Building Block <https://ec.europa.eu/cefdigital/wiki/display/CEFDIGITAL/eArchiving/>.

1.3 Authors

A full list of contributors to this specification, as well as the revision history, can be found in Appendix 2.

TABLE OF CONTENTS

1	Preface	3
1.1	Aim of the specification.....	3
1.2	Organisational support.....	4
1.3	Authors.....	5
2	Introduction	9
2.1	Purpose.....	9
2.2	Scope	9
2.2.1	Extracting data in a relational database structure	9
2.2.2	Extracting data and metadata as aggregations of patient medical records	10
2.3	Layered Data Model	10
3	CITS eHealth1 Specification Requirements Structure.....	11
4	Principles.....	12
4.1	Principle 1– use of existing standards	12
4.2	Principle 2 – the Complete Patient Medical Record and Patient Centricity	12
4.3	Principle 3 – ability to create cohorts for research purposes	12
4.4	Principle 4 – support for born digital and digitised records.....	12
4.5	Principle 5 – bulk submission of patient records from producers	12
5	Standards	12
6	Data Structure and Aggregations	13
6.1	Case Structure and Data Aggregation	13
6.2	Using the eHealth1 specification together with the Common Specification for Information Packages (CSIP).....	14
6.3	Placement of data in an eHealth1 Information Package.....	15
7	General Requirements	16
8	METS.....	17
8.1	Use of METS in eHealth1	17
8.2	Root METS File.....	17
8.2.1	Root METS root element	17
8.2.2	Root METS header element (element metsHdr).....	18
8.2.3	Root METS descriptive metadata section (element dmdSec).....	19
8.2.4	Root METS administrative metadata section (element amdSec)	20
8.2.5	Root METS file section (element fileSec)	21
8.2.6	Root METS structural map (element structMap).....	22
8.2.7	Root METS file example.....	23
8.3	Representation METS.....	25

8.3.1 Representation METS root element.....	25
8.3.2 Representation METS header element (element metsHdr).....	26
8.3.3 Representation METS descriptive metadata section (element dmdSec).....	26
8.3.4 Representation METS administrative metadata section (element amdSec)	26
8.3.5 Representation METS file section (element fileSec)	27
8.3.6 Representation METS structural map (structMap element).....	30
8.3.7 Representation METS file example	33
9 Deprecated Requirements in eHealth1	36
10 Use of Descriptive Metadata in eHealth1.....	42
10.1 Patient Identifiers.....	42
10.2 Patient Personal Information	42
10.3 Patient Clinical Information.....	42
11 Glossary.....	43
Appendix 1 – Extended Vocabularies	48
Appendix 2 - Postface.....	49

TABLE OF FIGURES

Figure 1: E-ARK specification dependency hierarchy.....	3
Figure 2: Data Model Structure.....	11
Figure 3: eHealth1 SIP Data Model	14
Figure 4: Example of Package Folder Structure with Multiple Patient Submissions and Case Structure ...	16

LIST OF TABLES

Table 1: Specification hierarchy aims and goals.....	3
Table 2: Root METS root element	17
Table 3 : Root METS header section (element metsHdr).....	18
Table 4 : Root METS descriptive metadata section (element dmdSec).....	20
Table 5 : Root METS file metadata section (element fileSec).....	21
Table 6 : Representation METS root element	25
Table 7 : Representation METS file section (element fileSec).....	27
Table 8: Representation METS structural map (element structMap).....	30
Table 9: Deprecated requirements in eHealth1.....	36
Table 10: Glossary	43
Table 11: Extended Vocabularies	48

LIST OF EXAMPLES

METS Example 1 : Root METS element example (element mets root).....	18
METS Example 2 : Root METS header with submission agreements (element metsHdr)	19
METS Example 3 : Root METS descriptive metadata section with reference to HL7 FHIR Patient Personal Information (element dmdSec).....	20
METS Example 4 : Root METS file section (element fileSec).....	21
METS Example 5: Root structural map (element structMap)	22
METS Example 6 : Whole root METS.....	23
METS Example 7 : Representation METS root element (element METS root)	26
METS Example 8 : Representation METS file section (element fileSec) with component byte stream.....	28
METS Example 9 : Representation METS structural map section (element structMap).....	33
METS Example 10 : Whole representation METS.....	34

2 Introduction

2.1 Purpose

The purpose of this document is to describe the Content Information Type Specification (CITS) for Patient Medical Records (eHealth1). This specification is supported by METS profiles for the Root and Representation METS files and an accompanying Guideline document.

2.2 Scope

This specification makes the following assumptions:

- A business case for the creation of an eHealth archive includes the incorporation of a backlog of physical and digital patient records.
- An eHealth archive concerns the Complete Patient Medical Records for deceased patients within the jurisdiction. Note that the term 'jurisdiction' does not imply that a Central Health Archive must be at a national or federal level. Many health administrations are organised at a state or region level, and the specification is equally valid for this scenario. Note also that there are significant potential benefits for the use of the standard for archiving of Patient Medical Records if complied with by all regional administrations within a federation. This can also apply to environments where there are private healthcare providers, and a Central Health Archive is being created by a controlling administration.
- Implementation of Electronic Health Record (EHR) systems is not widespread, and the creation of an eHealth archive that aggregates information from both EMR and EHR systems is considered to be a special case that can be considered within future iterations of this specification (see the Guideline for how this specification defines EHR and EMR systems).
- The use cases considered by the specification for an eHealth archive are described in the accompanying Guideline.

There are two options for extracting patient records from an EMR or EHR system which can be dependent to a certain extent on the source system data structure:

2.2.1 Extracting data in a relational database structure

If the structure of the source EHR/EMR system is wholly a relational database, then the extraction of selected records can be made into a long-term database preservation format (SIARD) that preserves the properties of the database such that the data can be imported into a relational database management system (RDBMS) at the time of access. Access can happen through database queries or a search field.

Further information on the limitations of this approach, particularly for the use cases behind the eHealth1 CITS is given in the accompanying Guideline.

The SIARD specification, together with a Content Information Type Specification for SIARD, represents the SIP profile for the relational databases content type. More information can be found at <https://dilcis.eu/content-types/siard>.

Extractions can be made from such wholly relational database systems programmatically that create the aggregated structure required for eHealth1 and as seen in traditional EMR systems and physical Patient Record archives. For the use cases described in this Content Information Specification it is recommended that this approach is followed.

2.2.2 Extracting data and metadata as aggregations of patient medical records

Digitisation of physical Patient Medical Records or extraction of electronic records from more traditional EMR systems produces a case type structure of files and accompanying metadata as described in the Guideline. Being extracted in this manner makes them directly accessible for validation, data management, indexing and searching. The structured semantic metadata description is explicit rather than hidden inside an RDBMS. This methodology also supports the incremental extraction of records over time (such as when patients are deceased) for submission to the Archive and in addition:

- Records from different sources can be merged (complete Patient Medical Records can be synthesised from multiple submissions)
- Search and access is possible across all records and sources
- Records can be managed individually and uniformly
- The original EMR/EHR system software does not need to be licensed or preserved

This specification considers this particular extraction method within the context of the use cases as described in the Guideline.

2.3 Layered Data Model

This section introduces the role of the CITS eHealth1 and its dependencies on the basic structures of the Information Package.

This specification is created based on the requirements of the Common Specification for Information Packages (CSIP), the specification for Submission Information Packages (E-ARK SIP) and the specification for Archival Information Packages (E-ARK AIP). To fully understand its requirements, we highly recommend that users review the requirements and the terminology of the source documents, before using this specification.

The data model structure is based on a layered approach for information package definitions (Figure 2). The Common Specification for Information Packages (CSIP) forms the outermost layer. The general SIP, AIP and DIP specifications add respectively, submission, archiving and dissemination information to the CSIP specification. The third layer of the model represents specific content information type specifications, such as this CITS eHealth1 specification. Additional layers for business-specific specifications and local variant implementations of any specification can be added to suit the needs of the organisation.




Figure 2: Data Model Structure

Every level in the data model structure inherits metadata entities and elements from the higher levels. In order to increase adoption, a flexible schema has been developed. This will allow for extension points where the schema in each layer can be extended to accommodate additional information on the next specific layer until, finally, the local implementation can add specific entities or metadata elements to satisfy specific local needs. Extension points can be implemented by:

Embedding foreign extension schemas (in the same way as supported by METS [<http://www.loc.gov/standards/mets/>] and PREMIS [<http://www.loc.gov/standards/premis/>]). These both support increasing the granularity of existing metadata elements by using more detailed data structures as well as adding new types of metadata.

Substituting metadata schemas for standards more appropriate for the local implementation.

The structure allows the addition of more detailed requirements for metadata entities, for example, by:

- Increasing the granularity of metadata elements by using more detailed data structures, or
- Adding local controlled vocabularies.
- For consistency, design principles are reused between layers as much as possible.

3 CITS eHealth1 Specification Requirements Structure

The Content Information Type Specification for Patient Medical Records (CITS eHealth1) aims to define the necessary elements required to preserve the accessibility and authenticity of Patient Medical Records over time and across changing technical environments. The specification elevates the level (and

adjusts the cardinality) of some of the requirements set out in the Common Specification (CSIP) and package specifications (namely SIP) and adds new requirements for the package structure, descriptive metadata and accompanying METS files. The specification sets out general principles that underpin the specific requirements. Further context for the requirements and principles can be found in the accompanying Guideline to this document.

4 Principles

4.1 Principle 1– use of existing standards

Wherever possible the eHealth1 specification encourages the use of existing international specifications for patient administrative, clinical, diagnostics, medication information and vocabularies for diseases, conditions and treatments.

4.2 Principle 2 – the Complete Patient Medical Record and Patient centrality

CITS eHealth1 supports the creation of a centralised (national or regional) health archive of Complete Patient Medical Records, where the intention is to make data available to next of kin and should contain as much of the original data from source systems as possible. Data is organised to be patient centric and so access to a complete record from multiple submissions is possible.

4.3 Principle 3 – ability to create cohorts for research purposes

CITS eHealth1 supports the creation of a centralised (national or regional) health archive of Complete Patient Medical Records, where the intention is to make data available to researchers and should allow the creation of search databases and indexes based on key patient demographic and clinical data.

4.4 Principle 4 – support for born digital and digitised records

The specification allows for data submitted by producers (or generated at the archive) to be extractions from Electronic Record Management (EMR) or Electronic Health Record (EHR) systems or to be data generated through digitisation of physical records.

4.5 Principle 5 – bulk submission of Patient records from producers

Based on the principals above, the intellectual content of archival information packages (AIPs) in a health archive will most likely be limited to data about a single Patient. However, the specification recognises that submissions are likely to be made from healthcare providers on a batch basis on a regular schedule and the submission format should allow inclusion of multiple Patient records. Processes at the archive can then parse submission collections into individual patient SIPs and ingest into the archive such as to create individual patient AIPs.

5 Standards

Controlled vocabularies and coding provide a standardised way for the unambiguous recording of health data. Most EMR and all EHR systems will hold coded data concerning Patient Cases that can be extracted as metadata for the Patient Medical Record and will use international standard vocabularies and encodings such as ICD or SNOMED. Metadata can be recorded in a number of standardised (such as HL7 FHIR) formats or to a local format which is specified by the health archive and referenced within a Submission Agreement. Background information on eHealth standards such as FHIR, ICD and SNOMED is given in the Guideline.

6 Data Structure and Aggregations

6.1 Case Structure and Data Aggregation

The names of aggregation levels within an archive and represented within an archival package (IP) will depend on the agreements between data producers (Creators) and archives. EAD3 has defined a set of values (class, collection, file, fonds, item, otherlevel, recordgrp, series, subfonds, subgrp, subseries) for that purpose, and it allows other values to be used in addition if they are defined as “otherlevel”. However, even though the aggregation levels in this context could be described in this way, the EAD template for archival description is considered broadly unsuitable for a Patient Health Archive.

A Central Patient Health Archive has a single purpose and may be instituted as a stand-alone entity or as a sub-entity within a larger institution (e.g. National Archive or Health Authority). The overall aggregation of a health archive is therefore implicit (it is an aggregation of Patient Medical Records), and further aggregation levels must be defined that suit the use cases for navigation within the archive and for the way in which the archive is populated.

Patient Medical Records will be submitted to a Central Health Archive either when a patient is known to have died or after a period of time when it is not feasible that a patient is still alive (determined through regulations). Depending upon the availability of a National Death Register, the accessibility and responsiveness to such a register and the periodic batching of archival extracts at healthcare providers, it cannot be expected that individual patient submissions from multiple creators will be at all coordinated. Aggregation of a total patient record at the archive prior to submission into the preservation system is therefore deemed impractical in this specification.

The proposed data structure for the aggregations of the submissions of Patient Medical Records is as shown in the data model in Figure 3. As patient data is likely to be submitted in batches, each submission package will contain information from multiple Patients, and it is likely that these submissions will be split by the archive on receipt to create Patient-specific archival information packages (AIPs) in order to simplify the dissemination process. In this context, the submission package could be considered as a submission information collection (SIC) or collation of SIPs which is compiled to simplify extraction and transmission. However, for the purposes of this specification, the term SIP is used to mean both a submission package for a single Patient Record or a submission package containing multiple Patient Records.

The levels of the aggregation in an eHealth1 package are as follows:

- **Patient:** An individual who has received healthcare at any number of healthcare providers and who is described by Patient Personal Information (see 7.3.2). Each patient will be identified by means of a unique identifier (ID) which is provided from the source EMR system. This unique ID connects the Patient Personal Information and the Patient Medical Record in the information package.
- **Case:** A Patient Medical Record can be structured in various ways, which may be dictated by national standards, guidance or local practice. A Patient’s Complete Medical Record will consist of multiple individual thematic Cases which may be concerned with particular medical conditions, periods or treatments. The proposed aggregation allows for flexibility in this grouping. These cases will be held in a healthcare provider’s local archive and may contain a number of Sub-cases and/or Documents with associated Data Files.
- **Sub-case:** A Sub-case is an allowable type of component consisting of a set of Documents and Data Files that is nested below a Case. Sub-cases may originate in

departments within a large hospital or may be related to a different diagnosis to other Sub-cases. A Sub-case may have common (to the Case) or specific metadata.

- Document: A Document is a component that may consist of multiple related Data Files with common metadata; for example, a document may be a PDF file together with associated attachments, or there may be a document and a separate signature sheet. A document can be considered to be an entity that is approved/signed as a whole.
- Data File: A Data file is a component that contains data and has an associated MIME file type. A Data File can be a single bit stream or can encapsulate bit streams and attributes according to a standard such as a DICOM or MP4, in which case it will have a recognised MIME file type. A Data File, which is a container for multiple byte streams and metadata, can be included in the package as a Data File or can be unpacked and included as separate Byte Streams and metadata in METS. It is expected that containers such as DICOM and MP4 files will be submitted unaltered in Submission Information Packages (SIPs) and that any decision to unpack them is part of a preservation plan at the archive.
- Byte Stream: A Byte Stream is a component that contains data, has an associated MIME file type and is encapsulated in a container such as MP4, DICOM or Matroska. Each Byte Stream has its own associated metadata, such as technical metadata, but which is generally only accessible with specialised tools (such as ffprobe for video container formats).




Figure 3: eHealth1 SIP Data Model

Examples of different Patient Record submissions are given in the Guideline.

6.2 Using the eHealth1 specification together with the Common Specification for Information Packages (CSIP)

The eHealth1 specification conforms to and extends the Common Specification for Information Packages (CSIP) and the Specification for Submission Information Packages (E-ARK SIP). When extractions are made from EMR systems according to the structure described, they can be transmitted in a package following the principles described in the CSIP and IP specifications.

6.3 Placement of data in an eHealth1 Information Package

Patient data will most likely be submitted by hospitals or other healthcare providers in periodic batches, consisting of multiple patient records. The eHealth1 specification allows for the inclusion of multiple patients per package, and so these batches can be transmitted in a single submission. The number of patients included in each AIP is then a matter for local implementation, (see 6.1).

Patient Medical Records are placed in a single representation within the 'representations' folder of the package. The representation should contain a METS file at its root (Representation METS), the folder structure of the representation should follow that defined by the CSIP and it must have a data folder. Within the data folder, there should be a folder for each Patient Record identified by a name that is unique within the package scope, follows the requirements of CSIP and contains the Patient's unique individual ID.

It is recommended, but not mandated that within each Patient Record folder that there are further folders that physically represent a Case, Sub-case, Document structure to aid human readability and navigation of the archive. If Patient Administrative and Patient Clinical Information is to be supplied, then this should be included at the root of each Patient Record. Figure 4 shows an example of a folder structure for a package where there are multiple Patient submissions and Patient Clinical information is included.

The package should contain a patient administrative information or manifest file within the root metadata/descriptive folder that at minimum contains the names of the patients whose records are contained in the package and a reference to their Patient ID.




Figure 4: Example of Package Folder Structure with Multiple Patient Submissions and Case Structure

7 General Requirements

EHGR1 – submission packages MUST contain at least one representation containing data from one or more Patients.

EHGR2 – data from multiple Patients if present MUST be divided into separate Patient Record folders in the data folder of the representation.

EHGR3 – Patient data in a Patient Record SHOULD follow a Case/Document/File or Case/Sub-case/Document/File structure.

EHGR4 – each submission package SHOULD contain a submission agreement in the root /documentation folder.

EHGR5 – there MUST be a Patient manifest or Patient Administrative Information file located in the root /metadata/descriptive folder that at minimum contains a list of Patient names and unique identifiers. The Patient Administrative Information file MAY contain personal and demographic information such as to aid searches for next of kin and research cohorts.

EHGR6 – each Patient Record SHOULD contain Patient Administrative and Clinical Information file(s).

8 METS

8.1 Use of METS in eHealth1

CSIP specifies that METS files be located at the root of the package folder structure (Root METS) and optionally in each of the representations within its respective root folder (Representation METS).

8.2 Root METS File

The root METS file must adhere to the requirements of the CSIP and Information Package specifications. In addition, there are specific requirements for the eHealth1 CITS, and in some cases, the level of the CSIP or package requirements have been increased (but never decreased).

8.2.1 Root METS root element

The eHealth1 CITS specification does not change or extend any of the requirements for the Root METS root element. Information is given below regarding the specific content type attributes to be used in an eHealth1 CITS.

Table 2: Root METS root element

ID	Name, Location and Description	Card & Level
EHR1	METS profile mets/@PROFILE	1..1
ref CSIP6	The value is set to “https://citsehealth1.dilcis.eu/profile/E-ARK-eHealth1-ROOT.xml”	MUST
EHR2	Content category Mets/@TYPE	1..1
ref CSIP2	The `mets/@TYPE` attribute is set to the value “OTHER”	MUST
EHR3	Other content category Mets[@TYPE='OTHER']/@csip:OTHERTYPE	1..1
ref CSIP 3	The `mets/@csip:OTHERTYPE` attribute is set to the value “Patient Medical Records”	MUST
EHR4	Content information type specification mets/@csip:CONTENTINFORMATIONTYPE	1..1
ref CSIP 4	The `mets/@csip:CONTENTINFORMATIONTYPE` attribute is set to the value "citsehpj_v1_0" See also: Vocabulary Content information type specification	MUST

METS Example 1 : Root METS element example (element mets root)

```
<mets:mets xsi:schemaLocation="http://www.loc.gov/METS/
http://www.loc.gov/standards/mets/mets.xsd http://www.w3.org/1999/xlink
http://www.loc.gov/standards/mets/xlink.xsd
https://DILCIS.eu/XML/METS/CSIPExtensionMETS
https://earkcsip.dilcis.eu/schema/DILCISExtensionMETS.xsd
https://DILCIS.eu/XML/METS/SIPExtensionMETS
https://earkcsip.dilcis.eu/schema/DILCISExtensionSIPMETS.xsd" OBJID="ehealth1-
root-mets-example" TYPE="OTHER" csip:OTHERTYPE="Patient Medical Records"
csip:CONTENTINFORMATIONTYPE="citsehpj_v2_0" LABEL="Patient Medical Records
from Skane University Hospital"
PROFILE="https://citsehealth1.dilcis.eu/profile/E-ARK-eHealth1-ROOT.xml" />
```

8.2.2 Root METS header element (element metsHdr)

The following describes the differences in the package metsHdr element between CSIP, IP and the eHealth 1 CITS specification.

Table 3 : Root METS header section (element metsHdr)

ID	Name, Location and Description	Card & Level
EHR5	Submission Agreement metsHdr/altRecordID	0..1
ref SIP5	There SHOULD be a reference to a Submission Agreement associated with the package as the SIP will contain personal data. @TYPE is used with the value "SUBMISSIONAGREEMENT". Example: http://submissionagreement.kb.se/dnr331-1144-2011/20120711/ Note: A machine-readable format is recommended for a better description of a submission agreement. For example, the submission agreement developed by Docuteam GmbH at: http://www.loc.gov/standards/mets/profiles/00000041.xml	SHOULD
EHR6	Archival creator agent metsHdr/agent	1..1
ref SIP9	A wrapper element that encapsulates the name of the organisation, the software and person that originally created the data being transferred. Please note that the creator organisation might be different from the organisation which has been charged with preparing and sending the SIP to the archives. It MUST be easy to positively identify the creating organisation (healthcare provider) without which the data has no provenance.	MUST
EHR7	Archival agent creator role metsHdr/agent/@ROLE	1..1
ref SIP10	The role of the archival creator organisation is set to "CREATOR" Following the available vocabulary in METS.	MUST
EHR8	Archival agent creator type metsHdr/agent/@TYPE	1..1
ref SIP11	The type of the archival creator agent is set to "ORGANIZATION".	MUST
EHR9	Archival agent creator name metsHdr/agent/name	1..n
ref SIP12	The name of the organisation(s) that originally created the data being transferred MUST be given.	MUST

	Please note that this might be different from the organisation which has been charged with preparing and sending the SIP to the archives.	
EHR10	Archival creator additional information	0..1
ref SIP13	<p>metsHdr/agent/note</p> <p>The archival creator agent SHOULD have a note providing a unique identification code for the archival creator.</p> <p>As permitted by national identification systems for healthcare providers submitting Patient Medical Records, an identifier for the provider should be provided.</p>	SHOULD
EHR11	Classification of the archival creator agent additional information	1..1
ref SIP14	<p>metsHdr/agent/note/@csip:NOTETYPE</p> <p>The archival creator agent note is typed with the value of "IDENTIFICATIONCODE"</p>	MUST

METS Example 2 : Root METS header with submission agreements (element metsHdr)

```
<mets:metsHdr CREATEDATE="2018-04-24T14:37:49.602+01:00" LASTMODDATE="2018-04-24T14:37:49.602+01:00" RECORDSTATUS="NEW" csip:OAISPACKAGETYPE="SIP" >
<mets:altRecordID TYPE="SUBMISSIONAGREEMENT"
>http://submissionagreement.kb.se/dnr331-1144-2011/20120711/</mets:altRecordID>
<mets:altRecordID TYPE="PREVIOUSSUBMISSIONAGREEMENT"
>http://submissionagreement.kb.se/dnr330-1122-2009/20110613/</mets:altRecordID>
<mets:altRecordID TYPE="REFERENCECODE" >FM-12-2387/12726,2007-09-19</mets:altRecordID>
<mets:altRecordID TYPE="PREVIOUSREFERENCECODE"
>SE/FM/123/123.1/123.13</mets:altRecordID>
<mets:agent ROLE="CREATOR" TYPE="OTHER" OTHERTYPE="SOFTWARE" >
<mets:name>piql eHealth SIP Creator</mets:name>
<mets:note NOTETYPE="SOFTWARE VERSION" >VERSION 1.1</mets:note>
</mets:agent>
<mets:agent ROLE="CREATOR" TYPE="ORGANIZATION" >
<mets:name>Skane University Hospital</mets:name>
<mets:note csip:NOTETYPE="IDENTIFICATIONCODE" >ID:89101112 </mets:note>
</mets:agent>
<mets:agent ROLE="SUBMITTER" TYPE="INDIVIDUAL" >
<mets:name>Sven Svensson</mets:name>
<mets:note csip:NOTETYPE="IDENTIFICATIONCODE" >ID:4569865123</mets:note>
</mets:agent>
<mets:agent ROLE="CREATOR" TYPE="INDIVIDUAL" >
<mets:name>Sven Svensson</mets:name>
<mets:note>Phone: 08-123456, Email: sven.svensson@mail.mail</mets:note>
</mets:agent>
<mets:agent ROLE="PRESERVATION" TYPE="ORGANIZATION" >
<mets:name>The Swedish Health Agency</mets:name>
<mets:note csip:NOTETYPE="IDENTIFICATIONCODE" >ID:1234567</mets:note>
</mets:agent>
</mets:metsHdr>
```

8.2.3 Root METS descriptive metadata section (element dmdSec)

The CSIP and IP specifications do not make any assumptions regarding the use of specific descriptive metadata schemas. The structure of the eHealth1 CITS is built on the concept of being patient-centric, and so a standardised metadata schema is preferred for Patient Administrative Information. The use of

the HL7 FHIR schema for a Patient Resource (<https://www.hl7.org/fhir/patient.html>) is suggested but is not mandatory as local regulations and standards may be used.

Table 4 : Root METS descriptive metadata section (element dmdSec)

ID	Name, Location and Description	Card & Level
EHR12	Descriptive metadata <code>mets/dmdSec</code>	1..n
ref CSIP17	There MUST be a reference to a metadata file held in the the metadata/descriptive folder of the package. At minimum this MUST be a Patient Manifest of Patient Names and unique personal identifiers. It CAN be a more detailed resource such as the FHIR Patient resource 'FHIR.Patient'.	MUST
EHR13	Reference to the document with the descriptive metadata <code>mets/dmdSec/mdRef</code>	1..1
ref CSIP21	There MUST be reference(s) to the manifest metadata file(s) located in the "metadata" section of the IP. This is the path and filename of the descriptive metadata file, e.g "metadata/descriptive/manifest.xml"	MUST
EHR14	Type of metadata <code>mets/dmdSec/mdref/@MDTYPE</code>	1..1
ref CSIP25	The value for the metadata type is set to "OTHER".	MUST
EHR15	Type of other metadata <code>mets/dmdSec/mdref/@OTHERMDTYPE</code> Specifies the type of metadata used for Patient Manifest. For example, the value could be "FHIR.Patient" if the FHIR Patient resource is used.	0..1 SHOULD

METS Example 3 : Root METS descriptive metadata section with reference to HL7 FHIR Patient Personal Information (element dmdSec)

```
<mets:dmdSec ID="dmd-ehealth-file" CREATED="2018-04-24T15:27:45.702+01:00"
STATUS="CURRENT" >
<mets:mdRef LOCTYPE="URL" xlink:href="metadata/descriptive/patients.xml"
xlink:type="simple" MDTYPE="OTHER" OTHERMDTYPE="FHIR.Patient"
MIMETYPE="application/xml" SIZE="643" CREATED="2018-04-24T14:11:29.309+01:00"
CHECKSUM="66EEDDF0A22EF57078694B67CA45DF301034556D6CB493531356C4FFE92AB6B1"
CHECKSUMTYPE="SHA-256" />
</mets:dmdSec>
```

8.2.4 Root METS administrative metadata section (element amdSec)

The eHealth1 CITS specification does not change or extend any of the requirements already defined by the CSIP or IP specifications' administrative metadata section. The eHealth1 root METS document amdSec element **SHOULD** comply with the amdSec requirements in the CSIP profile. Note that in eHealth1, it is required that any rights or digital provenance metadata that is general to the package should be held within the root metadata folder and that any rights or digital provenance metadata that is specific to the data held in the representations should be held in the respective representation metadata folder.

8.2.5 Root METS file section (element fileSec)

The CSIP does not make the use of the METS fileSec element mandatory, but it is strongly recommended. In the eHEALTH CITS, the use of the METS fileSec element at the package level becomes mandatory, such as to reference the mets files within each representation.

Table 5 : Root METS file metadata section (element fileSec)

ID	Name, Location and Description	Card & Level
EHR16	File section	1..1
ref CSIP58	mets/fileSec The transferred content is placed in representation folders and described by representation METS documents referenced from the Root METS file section. Only a single root file section <fileSec> element MUST be present.	MUST
EHR22	Content information type specification	1..1
ref CSIP62	mets/fileSec/fileGrp/@csip:CONTENTINFORMATIONTYPE PE The value of the attribute `mets/fileSec/fileGrp/@csip:CONTENTINFORMATIONTYPE` is set to "citsehpj_v2_0". See also: Vocabulary Content information type specification	MUST

METS Example 4 : Root METS file section (element fileSec)

```

<mets:fileSec ID="filesec-docx-file-1" >
<mets:fileGrp ID="filegrp-documentation" USE="Documentation" >
<mets:file ID="file-ptr-documentation-file1"
MIMETYPE="application/vnd.openxmlformats-officedocument.wordprocessing.document" SIZE="43445212" CREATED="2012-08-15T12:08:15.432+01:00"
CHECKSUM="160D71F56C2CE685CE7FBD679076FD76B3C67EE9AB5062F5EF5C99AE39C1F43B"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="documentation/File1.docx" />
</mets:file>
<mets:file ID="file-ptr-documentation-file2"
MIMETYPE="application/vnd.openxmlformats-officedocument.wordprocessingml.document" SIZE="31462826" CREATED="2012-08-15T14:44:45.432+01:00"
CHECKSUM="0FE9683451D0390BCDEF19CE10CFD287A2D944B6A33D246681FEF27F44FFAF1D"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="documentation/File2.docx" />
</mets:file>
</mets:fileGrp>
<mets:fileGrp ID="filegrp-schemas" USE="Schemas" >
<mets:file ID="file-ptr-schemal" MIMETYPE="text/xsd" SIZE="123917"
CREATED="2018-04-24T14:37:49.617+01:00"
CHECKSUM="4073D09CA1BAE023D5A7E2010819BF0E8A8EB3C015444D0673733630DE08461C"
CHECKSUMTYPE="SHA-256" >

```

```

<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="schemas/fhirpatient.xsd" />
</mets:file>
<mets:file MIMETYPE="application/xml" USE="Package METS" CHECKSUMTYPE="SHA-
256" CREATED="2015-12-04T09:59:45"
CHECKSUM="B565CA93CD86950503F233A7906E4DB709088BA42B9D109D4A8D6F183799603F"
ID="file-ptr-schema2" SIZE="6814" >
<mets:FLocat xlink:href="schemas/METS.xsd" xlink:type="simple" LOCTYPE="URL"
/>
</mets:file>
</mets:fileGrp>
<mets:fileGrp ID="filegrp-representation" USE="representations"
ADMD="digiProv-eHealth-file rights-eHealth-file" DMDID="dmd-eHealth-file"
csip:CONTENTINFORMATIONTYPE="citsehpj_v1_0" >
<mets:file ID="file-ptr-repmets1" MIMETYPE="xml" SIZE="1338744"
CREATED="2018-04-24T14:33:23.617+01:00"
CHECKSUM="B1CF59678A21C2805370536AB1097735D7E9F3FDDCAE3757426ED85F6350A48"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="representations/repl/mets.xml" />
</mets:file>
</mets:fileGrp>
</mets:fileSec>

```

8.2.6 Root METS structural map (element structMap)

The METS structural map element is the only mandatory element in the METS specification. It provides an overview of the components described in the METS document. It can also link the elements in the structure to associated content files and metadata. In the eHealth1 CITS, the package structMap describes the high-level structure of all the content in the package and links to at least one representation.

The representation METS.xml is referenced from the package METS.xml via the <mptr> element, and hence the requirements for the structMap element within the package METS.xml (CSIP requirements CSIP80 to CSIP118) are unchanged. Because a representation is present, the need for a Content Division in the package METS.xml structMap is not required (CSIP101 to CSIP104 and CSIP109).

Implementers are welcome to define additional structural maps for their internal purposes by repeating the structMap element. The specific requirements for elements, sub-elements and attributes for eHealth1 CITS, which differ from the CSIP, are listed in the following table.

METS Example 5: Root structural map (element structMap)

```

<mets:structMap ID="struct-map-example-1" TYPE="PHYSICAL" LABEL="CSIP" >
<mets:div ID="struct-map-example-div" LABEL="csip-mets-example" >
<mets:div ID="struct-map-metadata-div" LABEL="metadata" DMDID="dmd-ehealth-
file" ADMID="digiProv-eHealth-file rights-eHealth-file" />
<mets:div ID="struct-map-documentation-div" LABEL="documentation" >
<mets:fptr FILEID="filegrp-documentation" />
</mets:div>
<mets:div ID="struct-map-schema-div" LABEL="schemas" >
<mets:fptr FILEID="filegrp-schemas" />
</mets:div>
<mets:div ID="struct-map-reps-repl" LABEL="representations/repl/mets.xml" >

```

```

<mets:mptr LOCTYPE="URL" xlink:type="simple"
xlink:href="representations/repl/METS.xml" xlink:title="filegrp-
representation" />
</mets:div>
</mets:div>
</mets:structMap>

```

8.2.7 Root METS file example

Example 6 shows an example of a whole METS document describing a submission information package following CITS eHealth1.

METS Example 6 : Whole root METS

```

<mets:mets xsi:schemaLocation="http://www.loc.gov/METS/
http://www.loc.gov/standards/mets/mets.xsd http://www.w3.org/1999/xlink
http://www.loc.gov/standards/mets/xlink.xsd
https://DILCIS.eu/XML/METS/CSIPExtensionMETS
https://earksip.dilcis.eu/schema/DILCISExtensionMETS.xsd
https://DILCIS.eu/XML/METS/SIPExtensionMETS
https://earksip.dilcis.eu/schema/DILCISExtensionSIPMETS.xsd" OBJID="ehealth1-
root-mets-example" TYPE="OTHER" csip:OTHERTYPE="Patient Medical Records"
csip:CONTENTINFORMATIONTYPE="citsehpj_v1_0" LABEL="Patient Medical Records
from Skane University Hospital"
PROFILE="https://citsehealth1.dilcis.eu/profile/E-ARK-eHealth1-ROOT.xml" >
<mets:metsHdr CREATEDATE="2018-04-24T14:37:49.602+01:00" LASTMODDATE="2018-
04-24T14:37:49.602+01:00" RECORDSTATUS="NEW" csip:OAISPACKAGETYPE="SIP" >
<mets:altRecordID TYPE="SUBMISSIONAGREEMENT"
>http://submissionagreement.kb.se/dnr331-1144-
2011/20120711/</mets:altRecordID>
<mets:altRecordID TYPE="PREVIOUSSUBMISSIONAGREEMENT"
>http://submissionagreement.kb.se/dnr330-1122-
2009/20110613/</mets:altRecordID>
<mets:altRecordID TYPE="REFERENCECODE" >FM-12-2387/12726,2007-09-
19</mets:altRecordID>
<mets:altRecordID TYPE="PREVIOUSREFERENCECODE"
>SE/FM/123/123.1/123.13</mets:altRecordID>
<mets:agent ROLE="CREATOR" TYPE="OTHER" OTHERTYPE="SOFTWARE" >
<mets:name>piql eHealth SIP Creator</mets:name>
<mets:note NOTETYPE="SOFTWARE VERSION" >VERSION 1.1</mets:note>
</mets:agent>
<mets:agent ROLE="CREATOR" TYPE="ORGANIZATION" >
<mets:name>Skane University Hospital</mets:name>
<mets:note csip:NOTETYPE="IDENTIFICATIONCODE" >ID:89101112 </mets:note>
</mets:agent>
<mets:agent ROLE="SUBMITTER" TYPE="INDIVIDUAL" >
<mets:name>Sven Svensson</mets:name>
<mets:note csip:NOTETYPE="IDENTIFICATIONCODE" >ID:4569865123</mets:note>
</mets:agent>
<mets:agent ROLE="CREATOR" TYPE="INDIVIDUAL" >
<mets:name>Sven Svensson</mets:name>
<mets:note>Phone: 08-123456, Email: sven.svensson@mail.mail</mets:note>
</mets:agent>
<mets:agent ROLE="PRESERVATION" TYPE="ORGANIZATION" >
<mets:name>The Swedish Health Agency</mets:name>
<mets:note csip:NOTETYPE="IDENTIFICATIONCODE" >ID:1234567</mets:note>
</mets:agent>
</mets:metsHdr>

```

```
<mets:dmdSec ID="dmd-ehealth-file" CREATED="2018-04-24T15:27:45.702+01:00"
STATUS="CURRENT" >
<mets:mdRef LOCTYPE="URL" xlink:href="metadata/descriptive/patients.xml"
xlink:type="simple" MDTYPE="OTHER" OTHERMDTYPE="FHIR.Patient"
MIMETYPE="application/xml" SIZE="643" CREATED="2018-04-24T14:11:29.309+01:00"
CHECKSUM="66EEDDF0A22EF57078694B67CA45DF301034556D6CB493531356C4FFE92AB6B1"
CHECKSUMTYPE="SHA-256" />
</mets:dmdSec>
<mets:amdSec>
<mets:digiProvMD ID="digiProv-eHealth-file" STATUS="CURRENT" >
<mets:mdRef LOCTYPE="URL" xlink:href="metadata/preservation/premis1.xml"
xlink:type="simple" MDTYPE="PREMIS" MIMETYPE="application/xml" SIZE="984"
CREATED="2018-04-24T14:11:29.309+01:00"
CHECKSUM="66EEDDF0A22EF57078694B67CA45DF301034556D6CB493531356C4FFE92AB6B1"
CHECKSUMTYPE="SHA-256" />
</mets:digiProvMD>
<mets:rightsMD ID="rights-eHealth-file" STATUS="CURRENT" >
<mets:mdRef LOCTYPE="URL" xlink:href="metadata/preservation/premis2.xml"
xlink:type="simple" MDTYPE="PREMIS" MIMETYPE="application/xml" SIZE="563"
CREATED="2018-04-24T14:11:29.309+01:00"
CHECKSUM="66EEDDF0A22EF57078694B67CA45DF301034556D6CB493531356C4FFE92AB6B1"
CHECKSUMTYPE="SHA-256" />
</mets:rightsMD>
</mets:amdSec>
<mets:fileSec ID="filesec-docx-file-1" >
<mets:fileGrp ID="filegrp-documentation" USE="Documentation" >
<mets:file ID="file-ptr-documentation-file1"
MIMETYPE="application/vnd.openxmlformats-
officedocument.wordprocessing.document" SIZE="43445212" CREATED="2012-08-
15T12:08:15.432+01:00"
CHECKSUM="160D71F56C2CE685CE7FBD679076FD76B3C67EE9AB5062F5EF5C99AE39C1F43B"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="documentation/File1.docx" />
</mets:file>
<mets:file ID="file-ptr-documentation-file2"
MIMETYPE="application/vnd.openxmlformats-
officedocument.wordprocessingml.document" SIZE="31462826" CREATED="2012-08-
15T14:44:45.432+01:00"
CHECKSUM="0FE9683451D0390BCDEF19CE10CFD287A2D944B6A33D246681FEF27F44FFAF1D"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="documentation/File2.docx" />
</mets:file>
</mets:fileGrp>
<mets:fileGrp ID="filegrp-schemas" USE="Schemas" >
<mets:file ID="file-ptr-schemal" MIMETYPE="text/xsd" SIZE="123917"
CREATED="2018-04-24T14:37:49.617+01:00"
CHECKSUM="4073D09CA1BAE023D5A7E2010819BF0E8A8EB3C015444D0673733630DE08461C"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="schemas/fhirpatient.xsd" />
</mets:file>
<mets:file MIMETYPE="application/xml" USE="Package METS" CHECKSUMTYPE="SHA-
256" CREATED="2015-12-04T09:59:45"
CHECKSUM="B565CA93CD86950503F233A7906E4DB709088BA42B9D109D4A8D6F183799603F"
ID="file-ptr-schema2" SIZE="6814" >
<mets:FLocat xlink:href="schemas/METS.xsd" xlink:type="simple" LOCTYPE="URL"
/>
</mets:file>
</mets:fileGrp>
```



```

<mets:fileGrp ID="filegrp-representation" USE="representations"
ADMID="digiProv-eHealth-file rights-eHealth-file" DMDID="dmd-eHealth-file"
csip:CONTENTINFORMATIONTYPE="citsehpj_v1_0" >
<mets:file ID="file-ptr-repmets1" MIMETYPE="xml" SIZE="1338744"
CREATED="2018-04-24T14:33:23.617+01:00"
CHECKSUM="B1CF59678A21C2805370536AB1097735D7E9F3FDDDCAE3757426ED85F6350A48"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="representations/repl/mets.xml" />
</mets:file>
</mets:fileGrp>
</mets:fileSec>
<mets:structMap ID="struct-map-example-1" TYPE="PHYSICAL" LABEL="CSIP" >
<mets:div ID="struct-map-example-div" LABEL="csip-mets-example" >
<mets:div ID="struct-map-metadata-div" LABEL="metadata" DMDID="dmd-ehealth-
file" ADMID="digiProv-eHealth-file rights-eHealth-file" />
<mets:div ID="struct-map-documentation-div" LABEL="documentation" >
<mets:fptr FILEID="filegrp-documentation" />
</mets:div>
<mets:div ID="struct-map-schema-div" LABEL="schemas" >
<mets:fptr FILEID="filegrp-schemas" />
</mets:div>
<mets:div ID="struct-map-reps-repl" LABEL="representations/repl/mets.xml" >
<mets:mptr LOCTYPE="URL" xlink:type="simple"
xlink:href="representations/repl/METS.xml" xlink:title="filegrp-
representation" />
</mets:div>
</mets:div>
</mets:structMap>
</mets:mets>

```

8.3 Representation METS

The representation METS files is used to describe the data structure as included in the data folder of the Representation Medical Record) via the structMap element and to reference any additional descriptive metadata.

8.3.1 Representation METS root element

Particular notice is drawn to the specific requirements for a representation METS root element as described in the CSIP specification.

Table 6 : Representation METS root element

ID	Name, Location and Description	Card & Level
EH1	Representation identifier mets/@OBJID	1..1
ref CSIP 1	The mets/@OBJID attribute is mandatory. Its value is a string identifier for the METS document. For a representation level METS document, this value records the name of the representation (i.e. the name of the top-level representation folder). For example this could be: "Patient_Record_Submission".	MUST
EH2	METS profile mets/@PROFILE	1..1
ref SIP2	The value is set to "https://citsehealth1.dilcis.eu/profile/E-ARK-eHealth1-REPRESENTATION.xml"	MUST

EH3	Content category mets/@TYPE	1..1
ref CSIP 2	The `mets/@TYPE` attribute is set to the value "OTHER"	MUST
EH4	Other content category mets/@csip:OTHERTYPE	1..1
ref CSIP 3	The `mets/@csip:OTHERTYPE` attribute is set to the value "Patient Medical Records"	MUST
EH5	Content information type specification mets/@csip:CONTENTINFORMATIONTYPE	1..1
ref CSIP 4	The `mets/@csip:CONTENTINFORMATIONTYPE` attribute is set to the value "citsehpj_v2_0 "	MUST

METS Example 7 : Representation METS root element (element METS root)

```
<mets:mets OBJID="PatientRecord_Submission" TYPE="OTHER"
csip:OTHERTYPE="Patient Medical Records"
csip:CONTENTINFORMATIONTYPE="citsehpj_v2_0"
PROFILE="https://citsehealth1.dilcis.eu/profile/E-ARK-eHealth1-
REPRESENTATION.xml" xsi:schemaLocation="http://www.loc.gov/METS/
http://www.loc.gov/standards/mets/mets.xsd http://www.w3.org/1999/xlink
http://www.loc.gov/standards/mets/xlink.xsd
https://dilcis.eu/XML/METS/CSIPExtensionMETS
https://earkcsip.dilcis.eu/schema/DILCISExtensionMETS.xsd
https://dilcis.eu/XML/METS/SIPExtensionMETS
https://earksip.dilcis.eu/schema/DILCISExtensionSIPMETS.xsd" />
```

8.3.2 Representation METS header element (element metsHdr)

There are no requirements for a specific header element in the representation METS. The eHealth1 representation metsHdr element should comply with the metsHdr requirements in the SIP profile.

Note that the information contained in the representation header element relate specifically to the representation METS document.

8.3.3 Representation METS descriptive metadata section (element dmdSec)

The Representation may contain additional descriptive metadata within the metadata/descriptive folder as described in the CSIP. It is recommended however that Patient Clinical Information related to the Patient Cases that can contain clinical information (diagnoses, conditions, procedures, allergies, family history, care plans) such as can be found in the HL7 FHIR Clinical Module (<https://www.hl7.org/fhir/clinicalsummary-module.html>) and that has been extracted from the source EMR system is included within each individual Patient Record in the rename/data folder, such as to simplify separation of Patient records into individual SIPs at the Archive. Use of metadata standards and codings (e.g. International Classification of Diseases ICD, <https://www.who.int/classifications/icd/en/>, Systematized Nomenclature of Medicine, SNOMED CT, www.snomed.org) is encouraged. Where used, references to the specific schemas or resources should be given together with relevant version information.

8.3.4 Representation METS administrative metadata section (element amdSec)

The administrative metadata section contains four sub-sections, each used to record different types of metadata for package content:

- technical metadata (element techMD) records technical metadata;
- rights metadata (element rightsMD) records intellectual property rights information;
- source metadata (element sourceMD) records descriptive, technical or rights metadata for an analogue source for a digital library object; and
- digital provenance metadata (element digiprovmD) records digital preservation information (e.g. audit information covering a digital library object's life-cycle).

The CSIP only describes the use of the elements digiprovmD and rightsMD within the administrative metadata section of the METS.

The CSIP (and METS) categorises preservation metadata as administrative metadata, specifically Digital Provenance metadata (following the available guidelines published by the PREMIS EC guidelines: <http://www.loc.gov/standards/premis/guidelines2017-premismets.pdf>). Hence all preservation metadata should be referenced from a digiprovmD element within the amdSec.

The METS amdSec element should include references to all relevant metadata located in the folder "repname/metadata/preservation". The package level METS.xml file should only reference package level preservation metadata. Representation level METS.xml files should only reference representation level preservation metadata.

In eHealth1, it is required that any rights or digital provenance metadata that is general to the package can be held within the root metadata folder and that any rights or digital provenance metadata that is specific to the data held in the representation should be held in the representation metadata folder.

The eHealth1 representation METS document amdSec element should comply with the requirements in the CSIP profile.

8.3.5 Representation METS file section (element fileSec)

Table 7 : Representation METS file section (element fileSec)

ID	Name, Location and Description	Card & Level
EH13	File section	1..1
ref CSIP58	<p><code>mets/fileSec</code></p> <p>The transferred content within the representation is referenced from the file section in different file group elements. Only a single file section <fileSec> element should be present.</p> <p>Representation of the Patient Case structural hierarchy is only possible if the file section <fileSec> is present in the representation.</p>	MUST
EH14	Patient Document file groups	1..n
	<p><code>mets/fileSec/fileGrp</code></p> <p>The Patient Document file groups contain the file elements that describe the Patient Documents, the Patient Administrative and the Patient Clinical Information.</p> <p>The hierarchical structure of the Patient Medical Records within the CITS eHealth1 requires that Documents (groups of files that form a single intellectual entity) can be described through the structMap <div> element.</p>	MUST

EH15	Description of the use of the Patient Document file group reference	1..1
Ref CSIP114	fileSec/fileGrp/@USE The value in `mets/fileSec/fileGrp/@USE` is the name of the folder structure to the data, e.g. "/data/Patient_ID/Case_ID/Document_ID".	MUST
EH17	Content information type specification	1..1
ref CSIP62	mets/fileSec/fileGrp/@csip:CONTENTINFORMATIONTYPE The value of the attribute `CONTENTINFORMATIONTYPE` is set to "citsehpj_v2_0"	MUST
EH22	Component byte stream mets/fileSec/fileGrp/file/stream A file may comprise one or more subsidiary byte streams (e.g. an MPEG4 file might contain separate audio and video streams, each of which is associated with technical metadata). The repeatable <stream> element provides a mechanism to record the existence of separate datastreams within a particular file and to associate <dmdsec> and <amdsec> with them.	0..n MAY
EH23	Component byte stream identifier mets/fileSec/fileGrp/file/stream/@ID A unique xml:id for this object across the package.	1..1 MUST
EH24	Component byte stream mimetype mets/fileSec/fileGrp/file/stream@MIMETYPE The IANA mime type for the referenced byte stream.	1..1 MUST
EH25	Component byte stream original identification mets/Filesec/fileGrp/file/stream/@OWNERID If an identifier for the byte stream was supplied by the owner, it can be recorded in this attribute.	0..1 MAY
EH26	Component byte stream reference to administrative metadata mets/fileSec/fileGrp/file/stream/@ADMID If administrative metadata has been provided for the byte stream, this attribute can reference it by means of an ID.	0..1 MAY

METS Example 8 : Representation METS file section (element fileSec) with component byte stream

```
<mets:fileSec ID="file-sec-example" >
<mets:fileGrp ID="filegrp-documentation" USE="Documentation" >
<mets:file ID="file-ptr-documentation-file1"
MIMETYPE="application/vnd.openxmlformats-
officedocument.wordprocessing.document" SIZE="43445212" CREATED="2012-08-
15T12:08:15.432+01:00"
CHECKSUM="160D71F56C2CE685CE7FBD679076FD76B3C67EE9AB5062F5EF5C99AE39C1F43B"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="documentation/File1.docx" />
</mets:file>
```

```
<mets:file ID="file-ptr-documentation-file2"
MIMETYPE="application/vnd.openxmlformats-
officedocument.wordprocessingml.document" SIZE="31462826" CREATED="2012-08-
15T14:44:45.432+01:00"
CHECKSUM="0FE9683451D0390BCDEF19CE10CFD287A2D944B6A33D246681FEF27F44FFAF1D"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="documentation/File2.docx" />
</mets:file>
</mets:fileGrp>
<mets:fileGrp ID="filegrp-schemas" USE="Schemas" >
<mets:file ID="file-ptr-schemal" MIMETYPE="text/xsd" SIZE="123917"
CREATED="2018-04-24T14:37:49.617+01:00"
CHECKSUM="4073D09CA1BAE023D5A7E2010819BF0E8A8EB3C015444D0673733630DE08461C"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="schemas/fhirpatient.xsd" />
</mets:file>
<mets:file MIMETYPE="application/xml" USE="Package METS" CHECKSUMTYPE="SHA-
256" CREATED="2015-12-04T09:59:45"
CHECKSUM="B565CA93CD86950503F233A7906E4DB709088BA42B9D109D4A8D6F183799603F"
ID="file-ptr-schema2" SIZE="6814" >
<mets:FLocat xlink:href="schemas/METS.xsd" xlink:type="simple" LOCTYPE="URL"
/>
</mets:file>
</mets:fileGrp>
<mets:fileGrp ID="fileGrp-patient_12345-information" USE="data/patient_12345"
ADMID="digiProv-eHealth-file2 rights-eHealth-file2" >
<mets:file ID="file-ptr-patient-administrative-file1"
MIMETYPE="application/xml" SIZE="2352367" CREATED="2012-08-
15T12:08:15.432+01:00"
CHECKSUM="D2DF16632617402BF279D61DBC9F73675E033ABA6B94A78D4B9607CE5CAAF3E"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="data/patient_12345/patient_12345_admin.xml" />
</mets:file>
<mets:file ID="file-ptr-patient-patient-condition-file2"
MIMETYPE="application/xml" SIZE="1344782" CREATED="2012-08-
15T12:08:15.432+01:00"
CHECKSUM="FD7EE6C02AC30570BA8C73E0E8CCDDA77C5428F3E6F6BEA7834F9B1AEB4D8F20"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="data/patient_12345/patient_12345_condition.xml" />
</mets:file>
</mets:fileGrp>
<mets:fileGrp ID="filegrp-patient_12345_document1"
USE="data/Patient_12345/case1/subcase1/document1/datafile1" ADMID="digiProv-
eHealth-file2 rights-eHealth-file2"
csip:CONTENTINFORMATIONTYPE="citsehbj_v2_0" >
<mets:file ID="file-ptr-document1-file0" MIMETYPE="PDF" SIZE="1337808"
CREATED="2018-04-24T14:37:49.617+01:00"
CHECKSUM="E5C853A25A1A86ADDBFA5F54FBF5F0F2D97E8F257E2DB7640CA85E462D38652A"
CHECKSUMTYPE="SHA-256" ADMID="digiprov-eHealth-file2 rights-eHealth-file2" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="/data/patient_12345/case1/document1/patientnotes0.pdf" />
</mets:file>
<mets:file ID="file-ptr-document1-file1" MIMETYPE="application/mp4"
SIZE="3189002" CREATED="2018-04-24T14:37:49.617+01:00"
CHECKSUM="1A7FF5D05D4BEDBFD09447F633586646EF55F59480A1FF30B5D26D6866604F2F"
CHECKSUMTYPE="SHA-256" ADMID="digiprov-eHealth-file2 rights-eHealth-file2" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="/data/patient_12345/case1/document1/procedure.mp4" />
```

```

<mets:stream ID="file-ptr-document1-file2-stream1" MIMETYPE="video/mp4"
SIZE="4236737" CREATED="2018-04-24T14:37:49.617+01:00"
CHECKSUM="3A4DF1ADB67D2E74F4A6A7E39A7714ED330F066144D0A8774DA83B1BB77FA9EB"
CHECKSUMTYPE="SHA-256" ADMID="digiprov-eHealth-file2 rights-eHealth-file2" />
<mets:stream ID="file-ptr-document1-file2-stream2" MIMETYPE="audio/mp3"
SIZE="1132354" CREATED="2018-04-24T14:37:49.617+01:00"
CHECKSUM="7176A627870CFA3854468EC43C5A56F9BD8B30B50A983B8162BF56298A707667"
CHECKSUMTYPE="SHA-256" ADMID="digiprov-eHealth-file2 rights-eHealth-file2" />
</mets:file>
</mets:fileGrp>
</mets:fileSec>

```

8.3.6 Representation METS structural map (structMap element)

The METS structural map element is the only mandatory element in the METS specification and is hence mandatory within the representation METS. The representation METS.xml is referenced from the package METS.xml via the <mptr> element, and hence the requirements for the structMap element within the package METS.xml (CSIP requirements CSIP80 to CSIP118) are unchanged. Because a representation is present, the need for a Content Division in the package METS.xml structMap is not required (CSIP101 to CSIP112 and CSIP 116, 118 and 119).

There MUST be one structural map present following the requirements of the CSIP.

Table 8: Representation METS structural map (element structMap)

ID	Name, Location and Description	Card & Level
EH28	Structural description of the eHealth1 representation	1..n
	Each representation METS file must include ONE structural map <structMap> element exactly as described here.	MUST
	Institutions can add their own additional custom structural maps as separate <structMap> sections.	
EH30	Structural description label	1..1
ref CSIP82	mets/structMap/[@LABEL='eHealth1'] The label attribute is set to value "eHealth1" from the vocabulary.	MUST
EH31	Structural description identifier	1..1
ref CSIP83	mets/structMap[@LABEL='eHealth1']/@ID The representation's top-level structural division <div> element's `@ID` must be unique within the package.	MUST
EH45	Data division	1..1
ref CSIP101	mets/structMap[@LABEL='eHealth1']/div/div/ Within eHealth all Patient Records MUST be held within a minimum single representation and described in the structural map within a single sub-division. There are no files contained in the data division.	MUST
EH46	Data division identifier	1..1
ref	mets/structMap[@LABEL='eHealth1']/div/div/[@LABEL='Representation']/@ID	MUST

CSIP102	Mandatory, 'xml:id' identifier MUST be unique within the package.	
EH47	<p>Data division label</p> <p><code>mets/structMap[@LABEL='eHealth1']/div/div[@LABEL='Data']</code></p> <p>The representation's data division <div> element must have the '@LABEL' attribute value "Data", taken from the vocabulary.</p>	1..1 MUST
EH70	<p>Patient record division</p> <p><code>mets/structMap[@LABEL='eHealth1']/div/div/div/</code></p> <p>There must be a discrete 'div' element for each Patient Medical Record.</p>	1..n MUST
EH71	<p>Patient Record Division label</p> <p><code>mets/structMap[@LABEL='eHealth1']/div/div/div/[@LABEL='Patient Record']</code></p> <p>The representation's Patient Record divisions <div> elements must have the '@LABEL' attribute value "PATIENT RECORD", as taken from the vocabulary.</p>	1..1 MUST
EH72	<p>Patient Record division identifier</p> <p><code>mets/structMap[@LABEL='eHealth1']/div/div/div/@ID</code></p> <p>Mandatory, xml:id identifier must be unique within the package.</p>	1..1 MUST
EH48	<p>Patient Case division</p> <p><code>mets/structMap[@LABEL='eHealth1']/div/div/div/div/</code></p> <p>Each Patient Case contains Documents that are related in some way (e.g. chronologically and/or share a particular set of diagnoses and/or treatments). A Patient Case is a folder located in a "data/patient_record" folder within the representation and may contain any number of Sub-cases and Documents. Every Patient Record must contain at least one Patient Case.</p>	1..n MUST
EH49	<p>Patient Case division identifier</p> <p><code>mets/structMap[@LABEL='eHealth1']/div/div/div/div/@ID</code></p> <p>Mandatory, xml:id identifier must be unique within the package.</p>	1..1 MUST
EH50	<p>Patient Case division label</p> <p><code>mets/structMap[@LABEL='eHealth1']/div/div/div/div/[@LABEL='Case']</code></p> <p>The Patient Case division <div> element must have the '@LABEL' attribute value "CASE", taken from the vocabulary.</p>	1..1 MUST
EH51	<p>Patient Document division</p> <p><code>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/</code></p> <p>Each Patient Case MAY contain individual Data Files that are related logically and together form Documents (e.g. a book, video, image and annotation,</p>	0..n MAY

	document and audio notes).	
EH52	Patient Document division identifier	1..1
	<p>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/@ID</p> <p>Mandatory, xml:id identifier must be unique within the package.</p>	MUST
EH53	Patient Document division label	1..1
	<p>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/[@LABEL='Document']</p> <p>The Document division <div> element must have the '@LABEL' attribute value "Document", taken from the vocabulary.</p>	MUST
EH73	Patient Document division file group reference	1..1
	<p>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/fptr/</p> <p>All file groups containing content described in the package are referenced via the relevant file group identifiers. One file group reference per fptr-element.</p>	MUST
EH74	Patient Document division file group reference ID	1..1
	<p>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/div/fptr/@FILEID</p> <p>The pointer to the identifier for the file group containing the data files.</p>	MUST
EH59	Patient Sub-case division	0..n
	<p>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/div/</p> <p>Each Patient Sub-case contains Documents that are related in some way (e.g. chronologically and/or share a particular set of diagnoses and/or treatments). A Patient Sub-case is a folder located in a Case folder within the Patient Record and must contain at least one Document.</p>	MAY
EH60	Patient Sub-case division identifier	1..1
	<p>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/@ID</p> <p>Mandatory, xml:id identifier must be unique within the package.</p>	MUST
EH61	Patient Sub-case division label	1..1
	<p>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/[@LABEL='Subcase']</p> <p>The Sub-case division <div> elements must have the '@LABEL' attribute value "Subcase", taken from the vocabulary.</p>	MUST
EH62	Patient Document division	0..n
	<p>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/div/</p> <p>Each Patient Case or Sub-case can contain individual Data Files that are related logically and together form Documents (e.g. a book, video, image and annotation, document and audio notes).</p>	MAY

EH63	Patient Document division identifier	1..1
	<p>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/div/div/@ID</p> <p>Mandatory, xml:id identifier must be unique within the package.</p>	MUST
EH64	Patient Document division label	1..1
	<p>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/div/div/[@LABEL='Document']</p> <p>The Sub-case division <div> element must have the @LABEL attribute value "Document", taken from the vocabulary.</p>	MUST
EH75	Patient Document division file group reference	1..1
	<p>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/div/div/fptr/</p> <p>All file groups containing content described in the package are referenced via the relevant file group identifiers—one file group reference per fptr-element.</p>	MUST
EH76	Patient Document division file group reference ID	1..1
	<p>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/div/div/div/fptr/@FILEID</p> <p>The pointer to the identifier for the file group containing the data files</p>	MUST

METS Example 9 : Representation METS structural map section (element structMap)

```

<mets:structMap ID="struct-map-example-representation" TYPE="PHYSICAL"
LABEL="eHealth1" >
<mets:div ID="struct-map-example-div" LABEL="eHealth1-repmetsexample" >
<mets:div ID="struct-map-metadata-div" LABEL="Metadata" DMDID="dmd-ehealth-
file2" ADMID="digiProv-eHealth-file2 rights-eHealth-file2" />
<mets:div ID="struct-map-doc-div" LABEL="Documentation" >
<mets:fptr FILEID="file-grp-documentation" />
</mets:div>
<mets:div ID="struct-map-schema-div" LABEL="Schemas" >
<mets:fptr FILEID="file-grp-schema" />
</mets:div>
<mets:div ID="struct-map-data-div" LABEL="Data" >
<mets:div ID="struct-map-patient_12345-record-div" LABEL="Patient Record" >
<mets:fptr FILEID="filegrp-patient_12345-information" />
<mets:div ID="struct-map-patient_12345-record-case-1" LABEL="Case" >
<mets:div ID="struct-map-patient_12345-record-case-1-subcase-1"
LABEL="Subcase" >
<mets:fptr FILEID="filegrp-patient_12345-document1" />
</mets:div>
</mets:div>
</mets:div>
</mets:div>
</mets:div>
</mets:div>
</mets:structMap>

```

8.3.7 Representation METS file example

Example 10 shows an example of a whole representation METS document with Sub-case structure following CITS eHealth1.

METS Example 10 : Whole representation METS

```

<mets:mets xsi:schemaLocation="http://www.loc.gov/METS/
http://www.loc.gov/standards/mets/mets.xsd http://www.w3.org/1999/xlink
http://www.loc.gov/standards/mets/xlink.xsd
https://DILCIS.eu/XML/METS/CSIPExtensionMETS
https://earksip.dilcis.eu/schema/DILCISExtensionMETS.xsd
https://DILCIS.eu/XML/METS/SIPExtensionMETS
https://earksip.dilcis.eu/schema/DILCISExtensionSIPMETS.xsd"
OBJID="Patient_Records_Submission" TYPE="OTHER" csip:OTHERTYPE="Patient
Medical Records" csip:CONTENTINFORMATIONTYPE="citsehpj_v2_0"
PROFILE="https://citsehealth1.dilcis.eu/profile/E-ARK-eHealth1-
REPRESENTATION.xml" >
<mets:metsHdr CREATEDATE="2018-04-24T14:37:49.602+01:00" LASTMODDATE="2018-
04-24T14:37:49.602+01:00" RECORDSTATUS="NEW" csip:OAISPACKAGETYPE="SIP" >
<mets:altRecordID TYPE="SUBMISSIONAGREEMENT"
>http://submissionagreement.kb.se/dnr331-1144-
2011/20120711/</mets:altRecordID>
<mets:altRecordID TYPE="PREVIOUSSUBMISSIONAGREEMENT"
>http://submissionagreement.kb.se/dnr330-1122-
2009/20110613/</mets:altRecordID>
<mets:altRecordID TYPE="REFERENCECODE" >FM-12-2387/12726,2007-09-
19</mets:altRecordID>
<mets:altRecordID TYPE="PREVIOUSREFERENCECODE"
>SE/FM/123/123.1/123.13</mets:altRecordID>
<mets:agent ROLE="CREATOR" TYPE="OTHER" OTHERTYPE="SOFTWARE" >
<mets:name>piql eHealth SIP Creator</mets:name>
<mets:note NOTETYPE="SOFTWARE VERSION" >VERSION 1.1</mets:note>
</mets:agent>
<mets:agent ROLE="CREATOR" TYPE="ORGANIZATION" >
<mets:name>Skane University Hospital</mets:name>
<mets:note csip:NOTETYPE="IDENTIFICATIONCODE" >ID:89101112 </mets:note>
</mets:agent>
<mets:agent ROLE="SUBMITTER" TYPE="INDIVIDUAL" >
<mets:name>Sven Svensson</mets:name>
<mets:note csip:NOTETYPE="IDENTIFICATIONCODE" >ID:4569865123</mets:note>
</mets:agent>
<mets:agent ROLE="CREATOR" TYPE="INDIVIDUAL" >
<mets:name>Sven Svensson</mets:name>
<mets:note>Phone: 08-123456, Email: sven.svensson@mail.mail</mets:note>
</mets:agent>
<mets:agent ROLE="PRESERVATION" TYPE="ORGANIZATION" >
<mets:name>The Swedish Health Agency</mets:name>
<mets:note csip:NOTETYPE="IDENTIFICATIONCODE" >ID:1234567</mets:note>
</mets:agent>
</mets:metsHdr>
<mets:amdSec>
<mets:digiProvMD ID="digiProv-eHealth-file2" STATUS="CURRENT" >
<mets:mdRef LOCTYPE="URL" xlink:href="metadata/preservation/premis3.xml"
xlink:type="simple" MDTYPE="PREMIS" MIMETYPE="application/xml" SIZE="984"
CREATED="2018-04-24T14:11:29.309+01:00"
CHECKSUM="66EEDDF0A22EF57078694B67CA45DF301034556D6CB493531356C4FFE92AB6B1"
CHECKSUMTYPE="SHA-256" />
</mets:digiProvMD>
<mets:rightsMD ID="rights-eHealth-file2" STATUS="CURRENT" >
<mets:mdRef LOCTYPE="URL" xlink:href="metadata/preservation/premis4.xml"
xlink:type="simple" MDTYPE="PREMIS" MIMETYPE="application/xml" SIZE="563"
CREATED="2018-04-24T14:11:29.309+01:00"
CHECKSUM="66EEDDF0A22EF57078694B67CA45DF301034556D6CB493531356C4FFE92AB6B1"
CHECKSUMTYPE="SHA-256" />
</mets:rightsMD>

```

```
</mets:amdSec>
<mets:fileSec ID="filesec-docx-file-1" >
<mets:fileGrp ID="filegrp-documentation" USE="Documentation" >
<mets:file ID="file-ptr-documentation-file1"
MIMETYPE="application/vnd.openxmlformats-
officedocument.wordprocessing.document" SIZE="43445212" CREATED="2012-08-
15T12:08:15.432+01:00"
CHECKSUM="160D71F56C2CE685CE7FBD679076FD76B3C67EE9AB5062F5EF5C99AE39C1F43B"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="documentation/File1.docx" />
</mets:file>
<mets:file ID="file-ptr-documentation-file2"
MIMETYPE="application/vnd.openxmlformats-
officedocument.wordprocessingml.document" SIZE="31462826" CREATED="2012-08-
15T14:44:45.432+01:00"
CHECKSUM="0FE9683451D0390BCDEF19CE10CFD287A2D944B6A33D246681FEF27F44FFAF1D"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="documentation/File2.docx" />
</mets:file>
</mets:fileGrp>
<mets:fileGrp ID="filegrp-schemas" USE="Schemas" >
<mets:file ID="file-ptr-schema1" MIMETYPE="text/xsd" SIZE="123917"
CREATED="2018-04-24T14:37:49.617+01:00"
CHECKSUM="4073D09CA1BAE023D5A7E2010819BF0E8A8EB3C015444D0673733630DE08461C"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="schemas/fhirpatient.xsd" />
</mets:file>
<mets:file MIMETYPE="application/xml" USE="Package METS" CHECKSUMTYPE="SHA-
256" CREATED="2015-12-04T09:59:45"
CHECKSUM="B565CA93CD86950503F233A7906E4DB709088BA42B9D109D4A8D6F183799603F"
ID="file-ptr-schema2" SIZE="6814" >
<mets:FLocat xlink:href="schemas/METS.xsd" xlink:type="simple" LOCTYPE="URL"
/>
</mets:file>
</mets:fileGrp>
<mets:fileGrp ID="fileGrp-patient_12345-information" USE="data/patient_12345"
ADMID="digiProv-eHealth-file2 rights-eHealth-file2" >
<mets:file ID="file-ptr-patient-administrative-file1"
MIMETYPE="application/xml" SIZE="2352367" CREATED="2012-08-
15T12:08:15.432+01:00"
CHECKSUM="D2DF16632617402BF279D61DBC9F73675E033ABA6B94A78D4B9607CE5CAAF3E"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="data/patient_12345/patient_12345_admin.xml" />
</mets:file>
<mets:file ID="file-ptr-patient-patient-condition-file2"
MIMETYPE="application/xml" SIZE="1344782" CREATED="2012-08-
15T12:08:15.432+01:00"
CHECKSUM="FD7EE6C02AC30570BA8C73E0E8CCDDA77C5428F3E6F6BEA7834F9B1AEB4D8F20"
CHECKSUMTYPE="SHA-256" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="data/patient_12345/patient_12345_condition.xml" />
</mets:file>
</mets:fileGrp>
<mets:fileGrp ID="filegrp-patient_12345_document1"
USE="data/Patient_12345/case1/subcase1/document1/datafile1" ADMID="digiProv-
eHealth-file2 rights-eHealth-file2"
csip:CONTENTINFORMATIONTYPE="citsehpj_v2_0" >
<mets:file ID="file-ptr-document1-file0" MIMETYPE="PDF" SIZE="1337808"
CREATED="2018-04-24T14:37:49.617+01:00"
```

```
CHECKSUM="E5C853A25A1A86ADDBFA5F54FBF5F0F2D97E8F257E2DB7640CA85E462D38652A"
CHECKSUMTYPE="SHA-256" ADMID="digipro-eHealth-file2 rights-eHealth-file2" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="/data/patient_12345/case1/document1/patientnotes0.pdf" />
</mets:file>
<mets:file ID="file-ptr-document1-file1" MIMETYPE="application/mp4"
SIZE="3189002" CREATED="2018-04-24T14:37:49.617+01:00"
CHECKSUM="1A7FF5D05D4BEDBFD09447F633586646EF55F59480A1FF30B5D26D6866604F2F"
CHECKSUMTYPE="SHA-256" ADMID="digipro-eHealth-file2 rights-eHealth-file2" >
<mets:FLocat LOCTYPE="URL" xlink:type="simple"
xlink:href="/data/patient_12345/case1/document1/procedure.mp4" />
<mets:stream ID="file-ptr-document1-file2-stream1" MIMETYPE="video/mp4"
SIZE="4236737" CREATED="2018-04-24T14:37:49.617+01:00"
CHECKSUM="3A4DF1ADB67D2E74F4A6A7E39A7714ED330F066144D0A8774DA83B1BB77FA9EB"
CHECKSUMTYPE="SHA-256" ADMID="digipro-eHealth-file2 rights-eHealth-file2" />
<mets:stream ID="file-ptr-document1-file2-stream2" MIMETYPE="audio/mp3"
SIZE="1132354" CREATED="2018-04-24T14:37:49.617+01:00"
CHECKSUM="7176A627870CFA3854468EC43C5A56F9BD8B30B50A983B8162BF56298A707667"
CHECKSUMTYPE="SHA-256" ADMID="digipro-eHealth-file2 rights-eHealth-file2" />
</mets:file>
</mets:fileGrp>
</mets:fileSec>
<mets:structMap ID="struct-map-example-representation" TYPE="PHYSICAL"
LABEL="eHealth1" >
<mets:div ID="struct-map-example-div" LABEL="eHealth1-repmets-example" >
<mets:div ID="struct-map-metadata-div" LABEL="Metadata" DMDID="dmd-ehealth-
file2" ADMID="digiProv-eHealth-file2 rights-eHealth-file2" />
<mets:div ID="struct-map-doc-div" LABEL="Documentation" >
<mets:fptr FILEID="file-grp-documentation" />
</mets:div>
<mets:div ID="struct-map-schema-div" LABEL="Schemas" >
<mets:fptr FILEID="file-grp-schema" />
</mets:div>
<mets:div ID="struct-map-data-div" LABEL="Data" >
<mets:div ID="struct-map-patient_12345-record-div" LABEL="Patient Record" >
<mets:fptr FILEID="filegrp-patient_12345-information" />
<mets:div ID="struct-map-patient_12345-record-case-1" LABEL="Case" >
<mets:div ID="struct-map-patient_12345-record-case-1-subcase-1"
LABEL="Subcase" >
<mets:fptr FILEID="filegrp-patient_12345-document1" />
</mets:div>
</mets:div>
</mets:div>
</mets:div>
</mets:div>
</mets:div>
</mets:div>
</mets:structMap>
</mets:mets>
```

9 Deprecated Requirements in eHealth1

The work to improve this specification is ongoing. On occasion we retire a requirement, these are listed here for information. The majority of these deprecated requirements were duplicates of those in the CSIP and SIP specifications and have been removed for reasons of maintaining currency.

Table 9: Deprecated requirements in eHealth1

ID	Name, Location and Description	Card & Level
----	--------------------------------	--------------

EHR17	File section identifier	1..1
ref CSIP59	<p><code>fileSec/@ID</code></p> <p>An xml:id identifier for the file section used for internal package references. It must be unique within the package.</p>	MUST
EHR18	Documentation file group	1..n
ref CSIP60	<p><code>fileSec/fileGrp/@USE</code></p> <p>All documentation pertaining to the package should be referenced from one or more file groups with the 'mets/fileSec/fileGrp/@USE' attribute value "Documentation".</p> <p>Note that any documentation pertaining to the transferred content is referenced within the representation METS files.</p>	MUST
EHR19	Schema file group	1..n
ref CSIP113	<p><code>fileSec/fileGrp/@USE</code></p> <p>All XML schemas used in the information package MUST be referenced from one or more file group elements with 'mets/fileSec/fileGrp/@USE' attribute value "Schemas". Schemas common to the transferred content should be held in the root schemas folder.</p>	MUST
EHR20	Representations file group	1..n
ref CSIP114	<p><code>fileSec/fileGrp/@USE</code></p> <p>Pointers to each of the METS documents describing the representations MUST be present in file groups with the 'mets/fileSec/fileGrp/@USE' attribute "Representations".</p>	MUST
EHR21	Reference to administrative metadata	0..1
ref CSIP61	<p><code>fileSec/filegrp/@ADMID</code></p> <p>If administrative metadata has been provided at file group 'mets/fileSec/fileGrp/' level, this attribute refers to its administrative metadata section by ID.</p> <p>For example, there are rights and/or digital provenance metadata that are general to the package.</p>	MAY
EHR23	Representation division	1..n
ref CSIP105	<p><code>mets/structMap[@LABEL='CSIP']/div/div</code></p> <p>There must be a discrete 'div' element for each Patient Medical Record.</p>	MUST
EH6	Descriptive metadata	1..n
Ref CSIP17	<p><code>dmdSec</code></p> <p>Used to reference Patient Clinical Information held in the metadata/descriptive folder of the representation.</p> <p>There is one dmdSec present for each descriptive metadata file located in the "metadata/descriptive" section of the representation.</p>	MUST
EH7	Descriptive metadata identifier	1..1
	<code>dmdSec/@ID</code>	

ref CSIP18	An xml:id identifier for the descriptive metadata section (<dmdSec>) used for internal package references. It must be unique within the package.	MUST
EH8	Reference to the document with the descriptive metadata <code> mets/dmdSec/mdRef </code>	1..1
ref CSIP21	There MUST be a reference to the descriptive metadata file located in the folder “metadata/descriptive” of the representation.	MUST
EH9	Type of metadata <code> mets/dmdSec/mdref/@MDTYPE </code>	1..1
ref CSIP25	The value for the metadata type is set to “OTHER”.	MUST
EH10	Reference to the document with the descriptive metadata <code> dmdSec/mdRef </code>	1..1
ref CSIP21	There MUST be a reference to the descriptive metadata file located in the folder “metadata/descriptive” of the representation.	MUST
EH11	Type of metadata <code> dmdSec/mdref/@MDTYPE </code>	1..1
ref CSIP25	The value for the metadata type is set to “OTHER”.	MUST
EH12	Type of other metadata <code> dmdSec/mdref/@OTHERMDTYPE </code> Specifies the type of metadata used for Patient Clinical Information. For example, the value will be “fhircondition” if the FHIR Condition resource is used	1..1 MUST
EH16	Reference to Patient Document administrative metadata <code> fileSec/filegrp/@ADMID </code>	1..1
Ref CSIP61	If administrative metadata has been provided at a filegroup level. For example there are rights and/or digital provenance metadata that is specific to the Patient Document, then this attribute refers to the <amdSec> of the representation METS.xml by ID.	MAY
EH18	Representation (Patient Document) file group identifier	1..1
ref CSIP65	<code> fileSec/fileGrp/@ID </code> An xml:id identifier for the file group used for internal package references. It must be unique within the package.	MUST
EH20	File	1..1
ref CSIP66	<code> fileSec/filegrp/file </code> The file group <fileGrp> contains the file elements which describe the digital objects.	MUST
EH21	File reference to Descriptive Metadata	0..1
ref CSIP75	<code> fileSec/fileGrp/file/@DMDID </code> If descriptive metadata had been provided per file, this attribute refers to the file’s descriptive metadata by ID	MAY
EH27	Structural description of the representation Each representation METS file must include ONE structural map	1..n

ref CSIP80	<structMap> element exactly as described here. Institutions can add their own additional custom structural maps as separate <structMap> sections.	MUST
EH29	Type of structural division	1..1
ref CSIP81	<code>mets/structMap/@TYPE</code> The 'mets/structMap/@TYPE' attribute MUST take the value of "PHYSICAL" from the vocabulary. An additional structural description @TYPE "Virtual" could be added to describe a virtual Case structure that has not been realised in physical folders. See also: Structural map typing	MUST
EH32	Main structural division	1..1
Ref CSIP84	<code>structMap/div/@LABEL</code> The representation's top-level structural division <div> element's '@LABEL' attribute value must be identical to the representation (Patient Medical Record) identifier, i.e. the same value as the 'mets/@OBJID' attribute.	MUST
EH33	Main structural division identifier	1..1
Ref CSIP85	<code>structMap/div/@ID</code> Mandatory, 'xml:id' identifier must be unique within the package.	MUST
EH34	Main structural division label	1..1
Ref CSIP86	<code>structMap/div/@LABEL</code> The representation's top-level structural division <div> element's '@LABEL' attribute value must be identical to the representation (Patient Medical Record) identifier, i.e. the same value as the 'mets/@OBJID' attribute	MUST
EH35	Metadata division	1..1
Ref CSIP88	<code>structMap/div/div</code> The metadata referenced in the administrative and/or descriptive metadata section is described in the structural map with one sub division. When the transfer consists of only administrative and/or descriptive metadata this is the only sub division that occurs.	MUST
EH36	Metadata division identifier	1..1
Ref CSIP89	<code>structMap/div/div/@ID</code> Mandatory xml:id identifier must be unique within the package.	MUST
EH37	Metadata division label	1..1
Ref CSIP90	<code>structMap/div/div/@LABEL</code> The metadata division <div> element's '@LABEL' attribute value must be "Metadata".	MUST
EH38	Metadata division administrative metadata referencing	0..1
Ref CSIP91	<code>structMap/div/div/@ADMID</code> When there is administrative metadata, and the <amdSec> is present,	SHOULD

	all administrative metadata MUST be referenced via the administrative sections different identifiers. All of the <amdSec> identifiers are listed in a single `@ADMID` using spaces as delimiters.	
EH39	Metadata division descriptive metadata referencing	0..1
Ref CSIP92	structMap/div/div/@DMDID	SHOULD
	When there are descriptive metadata and one or more <dmdSec> is present, all descriptive metadata MUST be referenced via the descriptive section identifiers. Every <dmdSec> identifier is listed in a single `@DMDID` attribute using spaces as delimiters. Descriptive metadata in the representation will include clinical metadata as described in 7.3.3.	
EH40	Documentation division	0..1
Ref CSIP93	structmap/div/div/	SHOULD
	The documentation referenced in the file section file groups is described in the structural map with one sub-division.	
EH41	Documentation division identifier	1..1
Ref CSIP94	structMap/div/div/@ID	MUST
	Mandatory, xml:id identifier must be unique within the package.	
EH42	Documentation division label	1..1
Ref CSIP95	structMap/div/div/@LABEL	MUST
	The documentation division <div> element in the package uses the value "Documentation" from the vocabulary as the value for the `@LABEL` attribute.	
EH43	Documentation file referencing	1..1
Ref CSIP96	structMap/div/div/@CONTENTID	MUST
	All file groups containing documentation described in the package are referenced via the relevant file group identifiers. There MUST be one file group reference per <fptr> element.	
EH44	Documentation file group pointer	1..1
Ref CSIP116	structMap/div/div/fptr/@ID	MUST
	A reference, by ID, to the "Documentation" file group. Related to the requirements which describe the "Documentation" file group in CSIP and the requirement which describes the file group identifier.	
EH53	Data File division	1..n
	mets/structMap[@LABEL='eHealth1']/div/div/div/d	

	<p>iv/div/div/ Data Files are components that contain data and have associated MIME file types.</p> <p>A Data File can be a single bit stream or can encapsulate bit streams and attributes according to a standard such as a DICOM or MP4.</p>	MUST
EH54	<p>Data File division identifier</p> <p>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/div/div/@ID Mandatory, xml:id identifier must be unique within the package.</p>	1..1 MUST
EH55	<p>Data File division label</p> <p>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/div/div/[@LABEL='DATAFILE'] The Data File division <div> element must have the '@LABEL' attribute value "DATAFILE", taken from the vocabulary.</p>	1..1 MUST
EH56	<p>Data File division file group reference</p> <p>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/div/div/fptr All file groups containing content described in the package are referenced via the relevant file group identifiers. One file group reference per fptr-element.</p>	1..1 MUST
EH57	<p>Data File division file group reference ID</p> <p>mets/structMap[@LABEL='eHealth1']/div/div/div/div/div/div/div/fptr/@FILEID The pointer to the identifier for the file group containing the data files.</p>	1..1 MUST
EH58	<p>Data File division file group reference ID</p> <p>structMap/div/div/div/div/div/div/fptr/@FILEID The pointer to the identifier for the file group containing the data files.</p>	1..1 MUST
EH65	<p>Data File division</p> <p>structMap/div/div/div/div/div/div/div/ Data Files are components that contain data and have associated MIME file types. A Data File can be a single bit stream or can encapsulate bit streams and attributes according to a standard such as a DICOM or MP4.</p>	1..n MAY
EH66	<p>Data File division identifier</p> <p>structMap/div/div/div/div/div/div/div/@ID Mandatory, xml:id identifier must be unique within the package</p>	1..1 MUST
EH67	<p>Data File division label</p>	1..1 MUST

	StructMap/div/div/div/div/div/div/@LABEL The Data File division <div> elements must have the @LABEL attribute value "DATAFILE", taken from the vocabulary.	
EH68	Data File division file group reference structMap/div/div/div/div/div/div/fptr/ All file groups containing content described in the package are referenced via the relevant file group identifiers—one file group reference per fptr-element.	
EH69	Data File division file group reference ID mets/structMap[@LABEL=' eHealth1']/div/div/div/div/div/div/div/div/fptr/@FILEID The pointer to the identifier for the file group containing the data files	1..1 MUST

10 Use of Descriptive Metadata in eHealth1

10.1 Patient Identifiers

Patients must have a nationally unique identifier that is referenced within the source EMR system and can be referenced to a National Death Register, such as a Social Security or other unique individual identifier.

10.2 Patient Personal Information

Patient Personal Information should, wherever possible conform to an international or national standard for describing patient information within EMR of EHR systems (e.g. HL7 FHIR contains a well-specified resource for Patient Personal Information and provides schemas in a number of formats).¹ At a minimum this file must contain patient names and unique identifiers and should contain personal and demographic information.

10.3 Patient Clinical Information

Structured Patient Clinical Information such as diagnoses, procedures, medication, allergies, etc., can add significant value to the Health Archive and, in particular, to the research use cases as described in 4.3. Clinical metadata associated with the Patient or Patient Cases can be added to the package or PatientRecord_ID/metadata/descriptive folders in the package. Clinical metadata should, wherever possible, conform to an international or national standard for describing patient clinical information with EMR and EHR systems (e.g. HL7 FHIR contains well-specified resources for clinical, diagnostic and medication data and provides schemas in a number of formats).² Clinical metadata should use recognised vocabularies and coding such as ICD and SNOMED.

¹ <https://www.hl7.org/fhir/patient.html>

² <https://www.hl7.org/fhir/clinicalsummary-module.html>, <https://www.hl7.org/fhir/diagnostics-module.html>, <https://www.hl7.org/fhir/medications-module.html>

11 Glossary

Table 10: Glossary

Term	Description
Archival Creator	Organisation unit or individual that creates records and/or manages records during their active use.
Archival Information Package (AIP)	An information package, consisting of the Content Information and the associated Preservation Description Information (PDI), which is preserved within an Open Archival Information System (OAIS).
Cardinality	<p>The term describes the possible number of occurrences for elements in a set. The numbers have the following meanings:</p> <p>(1..1) – in each set, there is exactly 1 such element present</p> <p>(0..1) – the set can contain from 0 to 1 of such elements</p> <p>(1..n) – the set contains at least one element</p> <p>(0..n) – the set can contain up to n of such elements, but it is not mandatory</p> <p>(0..0) – the element is prohibited to use</p>
Case or Patient Case	<p>Type of component consisting of a set of objects and/or sub-cases. This is represented in the specification as a directory that sits within the data directory of a representation (which in this case is a Patient's Medical Record).</p> <p>A Case is an aggregation of individual records related to one patient and which are related in a way that is defined by national standards, guidance or local practice. A Patient's Medical Record will consist of multiple individual thematic Cases which may be concerned with particular medical conditions, periods or treatments.</p>
Central Health Archive	An organisation within a national or regional jurisdiction with a (usually legal) remit to create an archive of Patient Medical Records for people who have received primary or secondary healthcare in the jurisdiction. The Central Health Archive will be populated with Patient Medical Records from multiple healthcare providers in the jurisdiction, which will be drawn from Local Patient Health Archives (e.g. a hospital archive).
Component	In this standard: meaningful, logically delimited, and uniquely identifiable information that may be subject to treatment in manual and/or automated processes.

	This standard operates with four generic types of components: Case, Document, Data File and Byte Stream.
Complete Patient Medical Record	The sum of the submissions of patient Records made for an individual.
Content Data Object	The Data Object, that together with associated Representation Information comprises the Content Information (Source OAISA – ISO 14721:2012)
Content Information	A set of information that is the original target of preservation or includes part or all of that information. It is an Information Object composed of its Content Data Object and its Representation Information. (Source OAIS – ISO 14721:2012)
Data File	A component which contains data and has an associated MIME file type. A Data File can encapsulate multiple bit streams and metadata according to a standard such as a DICOM but must have a recognised MIME file type. A Data File may comprise one or more subsidiary Byte Streams; for example, an MP4 file might contain separate audio and video streams, each of which has its own associated metadata.
Death Register	National system which records deaths within the jurisdiction.
Dissemination Information Package (DIP)	An Information Package, derived from one or more AIPs and sent by Archives to the Consumer in response to a request to the OAIS.
Document	A single or group of related Data Files with common metadata. For example, a Document may consist of a PDF file together with associated attachments or a word file with a separate image signature sheet. A document can be considered to be an entity that is approved/signed as a whole by a practitioner.
General EMR System	Electronic Medical Record system intended for documentation of all forms of healthcare. Note: large scale healthcare providers may have a main general-purpose EMR system but can also have a number of distributed general-purpose EMR systems serving parts of the organisation that operate as separate sub-services.
Healthcare Provider	An organisation providing primary or secondary healthcare. Can be general in scope or specialised, public or private.
Information Package	A logical container composed of optional Content Information and optional associated Preservation Description Information used to delimit and identify the Content Information and Package Description information used to facilitate searches for the Content Information.
Internal Archival Long Term Preservation guidelines	This type of guideline can have different names depending on the creator. Generally, archives specify technical guidelines and/or regulations for formats, specifying what they will accept and maintain for the long term/ Depending on the archive and available technical resources, the criteria for the selected formats can differ from archive to archive.

Level	<p>The level of requirements of the element following RFC 2119 http://www.ietf.org/rfc/rfc2119.txt</p> <p>MUST – this means that the definition is an absolute requirement</p> <p>SHOULD – this means that in particular circumstances, valid reasons may exist to ignore the requirement, but the full implications must be understood and carefully weighed before choosing a different course. http://www.ietf.org/rfc/rfc2119.txt</p> <p>MUST NOT – this means that the prohibition described in the requirement is an absolute prohibition of the use of the element.</p> <p>SHOULD NOT – this means that in particular circumstances, violating the prohibition described in the requirement is acceptable or even useful, but the full implications should be understood and the case carefully weighed before doing so. The requirement text should clarify such circumstances.</p> <p>MAY – means that a requirement is entirely optional.</p>
Local Patient Health Archive	<p>An archive of physical or electronic Patient Medical Records within a Healthcare Provider or group of Healthcare Providers. A Patient Medical Record will normally be expected to be transferred to an archive either when the patient is known to have died, or after a number of years have passed since its creation that exceeds normal life expectancy.</p>
Open Archival Information System (OAIS)	<p>An Archive consisting of an organisation, which may be part of a larger organisation, of people and systems, that has accepted the responsibility to preserve information and make it available for a Designated Community. It meets a set of responsibilities that allows an OAIS Archive to be distinguished from other uses of the term 'Archive'.</p>
Patient	<p>A person who has received medical treatment</p>
Patient Clinical Information	<p>Structured patient clinical data related to Cases such as diagnoses, procedures, medication, allergies, etc.</p>
Patient Manifest	<p>Structured manifest containing at minimum the full names of the each Patient who has records in the package together with a unique ID (such as a social security or health number).</p>
Patient Medical Record	<p>Collection or compilation of recorded information about a patient in connection with healthcare.</p> <p>Note: a Patient Medical Record may contain information in digital form and/or information recorded on other types of media such as paper or film. For the purposes of this specification, Patient Medical Records are assumed to be digital</p>

	where the content may be born digital and/or digitised from physical records.
Patient Medical Record Extraction	Extract from a Local Health Archive for the purposes of handing off to the Central Health Archive. All Patient Medical Record Extractions should be under a Submission Agreement.
Patient Administrative Information	Demographics and other administrative information about an individual receiving care or other health-related services. For example, as can be described using the resource FHIR.Patient. Information will include but not be limited to name, patient ID(s), administrative gender, date of birth, date of death, address(es).
RDBMS	Relational Database Management System
Representation	A Representation within an Information Package contains archival data. If an Information Package contains the same data in two or more different formats (i.e. an original and a long term preservation format) or in different types of organisations (arrangements), the are placed within two or more separate Representations within the Representations folder of the Information Package of the Information Package.
Representation Information	The Representatiuon Information must enable or allow the re-creation of the significant properties of the original data object.
Specialised EMR System	Electronic Medical Record system specially adapted for documentation of a type of specialised healthcare or integrated with a specialised device. Examples: food/maternity system, gastrosystem, laboratory system, etc.
Standardised Machine-readable Documentation	A standardised machine-readable document is a document whose content can be readily processed by computers and is based on a commonly accepted standard. Such documents are distinguished from machine-readable data by virtue of having sufficient structure to provide the necessary context to support the business processes for which they are created.
Sub-case	Type of component consisting of a set of thematically related Data Files which are also related to a Case. Sub-cases are represented in the specification as folders that sit within a Case.
Submission Agreement	The agreement reached between an archive and the submission producer that specifies a submission format (eHealth1 CITS), and any other arrangements needed, for the data submission session. Any special conditions on patient confidentiality could be specified in the submission agreement.
Submission Information Package (SIP)	An Information Package that is delivered by the Producer to the OAIIS for use in the construction or update of one or more AIPs and/or the associated Descriptive Information.
Submitting Organisation	Name of the organisation submitting the package to the archive.

Appendix 1 – Extended Vocabulary

Vocabulary extensions are provided in the VocabularyEHealth1 for the content information type and the different divisions present in the structural map.

Table 11: Extended Vocabulary

Value	Vocabulary and Context
citsehpj_v2_0	VocabularyeHealth1 Value for content information type: <code>@csip:CONTENTINFORMATIONTYPE</code>
Patient Medical Records	VocabularyeHealth1 Value for other content category: <code>@csip:OTHERTYPE</code>
eHealth1	VocabularyeHealth1 Value for representation structural description label: <code>div/@LABEL</code>
Data	VocabularyeHealth1 Value for data division structural division label: <code>div/div/@LABEL</code>
Patient Record	VocabularyeHealth1 Value for patient record structural division label: <code>div/div/div/@LABEL</code>
Case	VocabuilaryeHealth1 Value for structural map case division label: <code>div/div/div/div/@LABEL</code>
Subcase	VocabularyeHealth1 Value for structural map subcase division label: <code>div/div/div/div/div/@LABEL</code>
Document	VocabularyeHealth1 Value for structural map document division label: <code>div/div/div/div/div/@LABEL, or div/div/div/div/div/div/@LABEL</code>

Appendix 2 - Postface

AUTHOR(S)

Name(s)	Organisation(s)
Stephen Mackey	Penwern Limited

REVIEWER(S)

Name(s)	Organisation(s)
Jaime Kaminski	Highbury R&D
Karin Bredenberg	Sydarkivera

**Project co-funded by the European Commission
within the ICT Policy Support Programme**

Dissemination Level

P	Public	X
C	Confidential, only for members of the Consortium and the Commission Services	

REVISION HISTORY AND STATEMENT OF ORIGINALITY

Submitted Revisions History

Revision No.	Date	Authors(s)	Organisation	Description
v1.0.0	31 st August 2021	Stephen Mackey	piqIAS	Published
V2.0.0	17 th May, 2024	Stephen Mackey	Penwern Limited	First major revision to amend structure of aggregations for compliance with CSIP and correct identified errors

Statement of originality:

This deliverable contains original unpublished work except where clearly indicated otherwise. Acknowledgement of previously published material and of the work of others has been made through appropriate citation, quotation or both.